

Bolle Frosted Pendant

BFPE



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 4.5 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
E26 Lightbulb,
maximum 60W (not included)





BOLLE FROSTED PENDANT 04

CONFIGURATION

STEP 1: VERSION SIZE (UNIT: IN)

Bolle Frosted Pendant 04
BFPE04

Bolle Frosted Pendant 06
BFPE06




**Custom Stem Height available upon request*

STEP 2: METAL FINISHES (INCLUDED IN STARTING PRICE)

				
Brushed Brass BR	Brushed Bronze BZ	Blackened Brass BK	Brushed Nickel NK	Polished Nickel PN

STEP 3: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES) FINISH		DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	21 – 39 in	000 CM
		39,5 – 78,5 in	
		79 – 118 in	
		118,5 – 157,5 in	
		up to 393,5 in	

STEP 4: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: Ø5.5×H2 in	Black (9005) BL135N
	Ceiling Type: All	White (9016) WH135N
		Brushed Brass BR135N
		Brushed Bronze BZ135N
		Blackened Brass BK135N
		Brushed Nickel NK135N
		Polished Nickel PN135N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier Circular 14

BFCHCR14



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 25.5 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
3 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER CIRCULAR 14

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier Circular 14
BFCHCR14



**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)



Brushed Brass
BR



Brushed Bronze
BZ



Blackened Brass
BK



Brushed Nickel
NK



Polished Nickel
PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES) FINISH		DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	39 – 78,5 in	000 CM
		79 – 118 in	
		118,5 – 157,5 in	
		158 – 197 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: Ø18×H2 in	
	White (9016)	WH450N
	Brushed Brass	BR450N
	Brushed Bronze	BZ450N
	Blackened Brass	BK450N
	Brushed Nickel	NK450N
	Polished Nickel	PN450N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier Circular 24

BFCHCR24



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 51 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
5 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER CIRCULAR 24

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier Circular 24
BFCHCR24



**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)

				
Brushed Brass BR	Brushed Bronze BZ	Blackened Brass BK	Brushed Nickel NK	Polished Nickel PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES) FINISH		DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	44,5 – 78,5 in	000 CM
		79 – 118 in	
		118,5 – 157,5 in	
		158 – 197 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: Ø24.5×H2 in	
	White (9016)	WH620N
	Brushed Brass	BR620N
	Brushed Bronze	BZ620N
	Blackened Brass	BK620N
	Brushed Nickel	NK620N
	Polished Nickel	PN620N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier Circular 34

BFCHCR34



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 70.5 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
7 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER CIRCULAR 34

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier Circular 34
BFCHCR34



*Custom Stem Height available upon request

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)



Brushed Brass
BR




Brushed Bronze
BZ



Blackened Brass
BK



Brushed Nickel
NK



Polished Nickel
PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES) FINISH		DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	42 – 78,5 in	000 CM
		79 – 118 in	
		118,5 – 157,5 in	
		158 – 197 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: Ø30×H2 in	
	White (9016)	WH760N
	Brushed Brass	BR760N
	Brushed Bronze	BZ760N
	Blackened Brass	BK760N
	Brushed Nickel	NK760N
	Polished Nickel	PN760N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier Linear 14

BFCHLN14



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 30 lbs

POWER INPUT
110-120V 50-60Hz
(driver not required)

LIGHT SOURCE
3 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER LINEAR 14

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier Linear 14
BFCHLN14




**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)

				
Brushed Brass BR	Brushed Bronze BZ	Blackened Brass BK	Brushed Nickel NK	Polished Nickel PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES)	FINISH	DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	26,5 – 39 in	000 CM
		39,5 – 78,5 in	
		79 – 118 in	
		118,5 – 157,5 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: W35.5xD7xH2 in	
	White (9016)	WH900N
	Brushed Brass	BR900N
	Brushed Bronze	BZ900N
	Blackened Brass	BK900N
	Brushed Nickel	NK900N
	Polished Nickel	PN900N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier ZigZag 24

BFCHZZ24



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 47.5 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
5 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER ZIGZAG 24

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier ZigZag 24
BFCHZZ24




**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)

				
Brushed Brass BR	Brushed Bronze BZ	Blackened Brass BK	Brushed Nickel NK	Polished Nickel PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES)	FINISH	DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	32 – 39 in	000 CM
		39,5 – 78,5 in	
		79 – 118 in	
		118,5 – 157,5 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: W47xD9xH2 in	
	White (9016)	WH1200N
	Brushed Brass	BR1200N
	Brushed Bronze	BZ1200N
	Blackened Brass	BK1200N
	Brushed Nickel	NK1200N
	Polished Nickel	PN1200N

Custom colours (RAL Classic): availability and price upon request

Bolle Frosted Chandelier ZigZag 34

BFCHZZ34



MATERIALS
Hand-blown frosted
borosilicate glass and hand-finished
or electroplated brass

WEIGHT INCL. CANOPY
Max 75 lbs

POWER INPUT
110-120V 50-60Hz

LIGHT SOURCE
7 E26 Lightbulb,
maximum 60W (not included)




BOLLE FROSTED CHANDELIER ZIGZAG 34

CONFIGURATION

VERSION

SIZE (UNIT: IN)

Bolle Frosted Chandelier ZigZag 34
BFCHZZ34



**Custom Stem Height available upon request*

STEP 1: METAL FINISHES (INCLUDED IN STARTING PRICE)

				
Brushed Brass BR	Brushed Bronze BZ	Blackened Brass BK	Brushed Nickel NK	Polished Nickel PN

STEP 2: SUSPENSION (Fabric flex cable or Metal Tube (39 in modules))

FABRIC FLEX CABLE	FINISH	DROP HEIGHT	CODE
	Black	Max 157,5 in	04B
		Max 394 in	10B
	White	Max 157,5 in	04W
		Max 394 in	10W
METAL TUBE (39 IN MODULES)	FINISH	DROP HEIGHT	SPECIFY YOUR DROP HEIGHT
	Matching Finish	34,5 – 39 in	000 CM
		39,5 – 78,5 in	
		79 – 118 in	
		118,5 – 157,5 in	
		up to 393,5 in	

STEP 3: CANOPY

Type of Canopy	FINISH	CODE WITH DIMMABLE STANDARD
	1 Canopy: W54xD14xH2 in	White (9016)
		Brushed Brass
		Brushed Bronze
		Blackened Brass
		Brushed Nickel
		Polished Nickel
		WH1380N
		BR1380N
		BZ1380N
		BK1380N
		NK1380N
		PN1380N

Custom colours (RAL Classic): availability and price upon request